

L Number	Hits	Search Text	DB	Time stamp
-	1193	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:01
-	0	("service provider" with address) with "map or table or chart or lookup"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:34
-	0	((("service provider" with address) with (map or table or chart or lookup or list)) with manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:12
-	0	((("service provider" with address) with (map or table or chart or lookup or list)) same manager	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:35
-	125	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:13
-	0	"service adj address" with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:40
-	0	"service adj address" same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:40
-	126	(service adj address) same (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:41
-	60	(service adj address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:54
-	5600	(user or client) with access with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:56
-	7093	(user or client) with access\$5 with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:56
-	19	((user or client) with access with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:56
-	21	((user or client) with access\$5 with (map or table or chart or lookup or list)) and ((service adj address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/21 09:56

-	3	load with balanc\$6 with target with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:41
-	0	load with balanc\$6 with target\$2 with removed	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:35
-	126	load with balanc\$6 with target\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:36
-	0	load with balanc\$6 with "all possible"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:37
-	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:37
-	854	load with balanc\$6 with possible	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:37
-	0	load with balanc\$6 with all	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:38
-	13	(load with balanc\$6 with target\$2) and (load with balanc\$6 with possible)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:38
-	60	load with balanc\$6 with (select\$5 or choose) with service\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:45
-	1	(load with balanc\$6 with (select\$5 or choose) with service\$1) and (load with balanc\$6 with target\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:45
-	2	"service provider" with address with backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:55
-	0	backup with address with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:57
-	4	backup with address with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:56

-	2	backup with alternate with provid\$6 with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 13:59
-	0	backup with ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:00
-	125	("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:06
-	0	((("service provider" with address) with (map or table or chart or lookup or list)) and alternat	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:00
-	38	((("service provider" with address) with (map or table or chart or lookup or list)) and alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:01
-	3	((("service provider" with address) with (map or table or chart or lookup or list)) with alternate	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:01
-	9	intermittently with generate with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:08
-	11	(intermittent\$4 or period\$6) with generate with (map or table or chart or lookup or list) with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:08
-	1	5951694.pn. and address	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 14:34
-	0	client with value with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:50
-	2	client with server with epoch	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:51
-	24	client with server with value with performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:51
-	1	5951694.pn. and performance	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:54

-	1	5951694.pn. and performance and backup	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:56
-	1	5951694.pn. and execut\$8	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 15:56
-	1891	map with topograph\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:05
-	0	map with topograph\$6 with client with service	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:05
-	10	map with topograph\$6 with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:05
-	0	709.244.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:12
-	81	709/244.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:13
-	1110	370/359.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:13
-	0	370/359.ccls. and ("service provider" with address) with (map or table or chart or lookup or list)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:16
-	0	370/359.ccls. and (("service provider" with address) with (map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:17
-	165	370/359.ccls. and ((map or table or chart or lookup or list))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/03/24 16:17
-	2	5951694.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 10:04
-	1	5951694.pn. and access\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 10:04

-	1	5951694.pn. and (access\$5 with user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 10:05
-	1	5951694.pn. and (access\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 14:54
-	2	6520942.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 10:26
-	0	5951694.pn. and (transfer\$5 with user with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 14:54
-	1	5951694.pn. and (transfer\$5 with gateway with map)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/27 14:54
-	0	email with attachment with handler	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 09:56
-	9	email with open\$4 with attachment	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:17
-	11558	(email or e-mail) with open\$4 with attachment same as URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:18
-	2	(email or e-mail) with open\$4 with attachment same URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/29 10:18
-	4	((("6209125") or ("6237135"))).PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:35
-	17	((("6209125") or ("6237135") or ("6256772") or ("6298353") or ("6324619") or ("6330006") or ("6438744") or ("6469578") or ("6490722"))).PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:37
-	58	"0020249"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:38
-	0	"0020249"	US-PGPUB	2003/10/30 12:38
-	4	"0020249"	USPAT; US-PGPUB	2003/10/30 12:38
-	23251	shim	USPAT; US-PGPUB	2003/10/30 12:38

-	2305	shim	US-PGPUB	2003/10/30 12:39
-	0	(2001/0020249).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:39
-	1	("0020249").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:44
-	0	("shim.oref").PN.	US-PGPUB	2003/10/30 12:46
-	0	("20010906.ad.").PN.	US-PGPUB	2003/10/30 12:46
-	5944	20010906.ad.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:46
-	0	shim.oref	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:46
-	0	shim.oref	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:50
-	1	("20010020249").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/10/30 12:51
-	1665	"service provider" with address	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:01
-	0	(service adj2 (map or list\$6) with client) same ("service provider" with address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:01
-	207	service adj2 (map or list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:02
-	6	(service adj2 (map or list\$6) with client) with dynamic\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:02
-	6	(service adj2 (map or list\$6) with client) with dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:03

-	332	"service map"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:03
-	46	"service map" with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:19
-	1007352	service adj\$1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:19
-	866	service adj1 list\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:19
-	85	(service adj1 list\$6) with client	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:20
-	66	((service adj1 list\$6) with client) and @ad<20000404	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:20
-	1	(service adj1 list\$6) with client with local\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 12:21
-	1	(service adj1 list\$6) with client with stored	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/04/13 15:10